

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	1	("20050199735").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	BRS	S2	400509	(automobile or car or vehicle) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	BRS	S3	5	error with (solid adj mass)	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S4	3	S3 and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S5	2039	(temperature adj sensor) with error	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	S6	360	(automobile or car or vehicle) and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	S7	164	S5 with (adjust\$3 or add\$3 or subtract\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	S8	22	(automobile or car or vehicle) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S9	3	S8 and ("236"/\$ or "62"/\$ or "374"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S10	20	S7 and ("236"/\$ or "62"/\$ or "374"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S11	17	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	IS&R	S12	869	(236/1c).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	IS&R	S13	76	(374/198).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	IS&R	S14	912	(374/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
15	IS&R	S15	1070	(62/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	IS&R	S16	251	(236/91c).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	IS&R	S17	0	("temperaturenear4surround ingnear4sensor").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	S18	1489	temperature near4 surrounding near4 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	S19	58	S18 with (adjust\$3 or add\$3 or subtract\$3 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	S20	8	S19 and ("236"/\$ or "62"/\$ or "374"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S21	103	S18 with (adjust\$4 or add\$5 or subtract\$4 or error or offset\$4 or compensat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S22	118	S18 with (adjust\$4 or add\$5 or subtract\$4 or error or offset\$4 or compensat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S23	18	S22 and ("236"/\$ or "62"/\$ or "374"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	S24	10	("2371288" "4659236" "4914924" "5181654" "5340021" "5416728" "5996357" "6076964" "6155492").PN. OR ("6709155").URPN.	US-PGPUB; USPAT; USOCR
25	BRS	S25	29230	outlet near2 temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	S26	687443	room near2 temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	S27	293	S25 with S26	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
28	BRS	S28	9	S27 with (ratio or percent\$3 or relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	IS&R	S29	2	(("4685508") or ("6341495")).PN.	US-PGPUB; USPAT